# Material Safety Data Sheet

FABRITAC MSDS No.1890

Date of Preparation: 01/01/04

#### Section 1 - Chemical Product and Company Identification Product/Chemical Name: Fabri- Tac Adhesive General Use: Adhesive Manufacturer: Beacon Chemical Company., Inc. 125 South MacQuesten Parkway Mount Vernon, NY 10550 Phone: (914-699-3400) Fax: (914-699-2783) Hours 9 of 5 Operation Emergency Phone (800) 424-9300 Section 2 - Composition / Information on Ingredients CAS Number Ingredient Name %wt or %vol **ACETONE** 67-64-1 >75% Section 3 - Hazards Identification **Emergency Overview HMIS** H 0 3

#### Potential Health Effects

Inhalation: In high concentrations may cause headache, nausea.

Eye: Can cause irritation, redness, tearing, blurred vision.

Skin: Prolonged exposure may irritate the skin. Repeated and prolonged contact of the liquid with skin can cause dryness and ervthema

Chronic Effects: There are no known chronic effects associated with this material.

#### Section 4 - First Aid Measures

Inhalation: If inhaled, remove the patient to fresh air. Ifbreathing is difficult get prompt medical attention.

Eye Contact: Immediately wash eyes with running water for 15 minutes. Get immediate medical attention.

Skin Contact: In case of contact with skin, wash with soap and water.

Ingestion: Dilute by drinking water or milk. Induce vomiting by sticking finger down throat or by giving syrup of Ipecac.

After first aid, get appropriate in-plant, paramedic, or community medical support.

## Section 5 - Fire-Fighting Measures

Autoignition Temperature: 869F (465C)

Flammability Classification: 3

Extinguishing Media: Use water fog, alcohol foam or dry chemical extinguishing media.

Unusual Fire or Explosion Hazards: FABRITAC is extremely flammable and its vapors form explosive mixtures with air.

Dangerous when exposed to heat, sparks, flame or oxidants.

Fire-Fighting Instructions: Handle as a very flammable liquid. Use water spray to keep fire-exposed tanks and containers cool.

Do not enter the fire area without proper personal protective equipment including self-contained breathing apparatus.

]

#### Section 6 - Accidental Release Measures

Spill/Leak Procedures: Spills should be contained. Recover as much as possible for reuse. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water. Do not flush liquid latex into public sewer or water system.

Waste Disposal Method: Dispose of in a landfill in accordance with local, state, and federal regulations.

#### Section 7 - Handling and Storage

Handling Precautions: Wear appropriate protective equipment when handling material. Avoid skin and eye contact.

Storage Requirements: Keep away from sparks, heat, flame. Store in a cool well ventilated location.

R

### Section 8 - Exposure Controls / Personal Protection

Ventilation: Use in a well ventilated area. Respiratory Protection: Not generally needed.

Protective Clothing/Equipment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

### Section 9 - Physical and Chemical Properties

Physical State: Liquid Boiling Point: 56.2C
Appearance and Odor: Clear Vapor density: (air=I.O) 2.0

liquid. Flash point: IAF (-17C) % Volatile: approx 100% by volume

Melting point: -95.35C

### Section 10 - Stability and Reactivity

Stability: product is normally stable. Keep away from heat, sparks and flame.

### Section 11- Toxicological Information

#### No Toxicity Data Available

Eye Effects: N/A Acute Inhalation Effects:

N/A

Skin Effects: N/ A Acute Oral Effects:

N/A

Chronic Effects: There are no known chronic effects associated with this

material.

## Section 12 - Ecological Information

Ecotoxicity: N/A

Environmental Fate N/A Environmental Transport: N/

A Environmental Degradation: N/A Soil Absorption/Mobility: N/A

### Section 13 - Disposal Considerations

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

Disposal Regulatory Requirements: Incinerate or bury in a licensed facility. Do not discharge into waterways or sewer systems without proper authority.

Container Cleaning and Disposal: Dispose of in a licensed facility. Recommended crushing or other means to prevent unauthorized use.

## Section 14 - Transport Information DOT

Transportation Data (49 CFR 172.101):

Shipping Name: Adhesive Hazard Class: 3 Less than I liter

Shipping Symbols: UN 1133 Packing Group II ORM-D CONSUMER COMMODITY

## Section 15 - Regulatory Information

EP A Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA N/A
CERCLA Hazardous Substance (40 CFR 302.4) unlisted
CERCLA Reportable Quantity N/ A
OSHA Regulations:
Air Contaminant: Not listed
OSHA Specifically Regulated Substance N/A
T.R.!. Reportable (No)

### **Section 16 - Other Information**

Prepared By: Pete Ryan

Additional Hazard Rating Systems:

		Health:	Fire:	Reactivity:	Special:
	0		3	0	NA
HMIS 0			3	0	NA
HMIS					

Disclaimer: The information accumulated herein is based on data which Beacon Chemical Co., Inc. considers to be accurate; provided however, that the company makes no warranty as to the accuracy of the data. Anyone intending to use the information contained herein shall assume sole and complete responsibility for the results of said use including loss or damage resulting from the handling of the material.